



CompTIA

Exam SK0-004

CompTIA Server+

Version: 6.0

[Total Questions: 228]

Question No : 1

Which of the following server types translates FQDNs to IP addresses?

- A. DHCP
- B. SMTP
- C. DNS
- D. FTP

Answer: C

Question No : 2

A server technician is investigating a potential data breach. It is believed that the breach occurred via telnet access. Which of the following could validate this hypothesis?

- A. Port scanner
- B. Cipher tools
- C. Checksum analyzer
- D. TDR

Answer: A

Question No : 3

An administrator needs to create two websites. One website must only be used by internal users and the other website must be a corporate website accessible externally by customers. Which of the following website types is needed?

- A. Extranet for users and intranet for customers
- B. Internet for users and extranet for customers
- C. Intranet for users and extranet for customers
- D. Extranet for users and extranet for customers

Answer: C

Question No : 4

A system administrator is tasked to enable authentication on a web server's login page. One of the requirements for the web server is to encrypt authenticated sessions over HTTP protocol for all static HTML pages. Using the information supplied, which of the following default port numbers should be used to satisfy these requirements?

- A. 53
- B. 8080
- C. 143
- D. 443

Answer: D

Question No : 5

A datacenter technician encounters a power receptacle labeled NEMA L5-30. Which of the following powers is this socket rated for?

- A. 115v 30 amp
- B. 208v 30 amp
- C. 220v 1 phase
- D. 440v 3 phase

Answer: A

Question No : 6

Clients cannot connect to the network. A technician determines that port 68 is not open. Which of the following protocols is being blocked?

- A. POP3
- B. DNS
- C. LDAP
- D. DHCP

Answer: D

Question No : 7

An email administrator is tasked to setup a Linux mail server. One of the requirements is to close all ports except SSH, HTTPS, SMTP, POP3, and IMAP4. Which of the following commands should be used to see which ports are currently open on the mail server? (Select TWO).

- A. lsof
- B. netstat
- C. ipconfig
- D. traceroute
- E. ping
- F. dig

Answer: A,B

Question No : 8

A technician is concerned about memory data corruption in a server. Which of the following memory types should be considered?

- A. Static
- B. SDRAM
- C. Dynamic
- D. ECC

Answer: D

Question No : 9

Which of the following services provide hostname to IP address resolution? (Select TWO).

- A. NTP
- B. NAT/PAT
- C. DHCP
- D. DNS
- E. WINS
- F. LDAP

Answer: D,E

Question No : 10

An administrator receives multiple reports that users cannot access a secure website hosted on a server the administrator manages. The administrator investigates and discovers that the reason users cannot access the secure site is because:

- A. port 22 is closed.
- B. port 80 is closed.
- C. port 443 is closed.
- D. port 3389 is closed.

Answer: C

Question No : 11

A technician performs monthly backups on a file server to a NAS device that can hold 1TB of data. The size of the monthly backups has been as follows:

Month 1 = 50GB

Month 2 = 65GB

Month 3 = 80GB

Starting with Month 1, based on the current rate of growth, in how many months will the NAS run out of available storage space?

- A. 4
- B. 5
- C. 9
- D. 11

Answer: C

Question No : 12

Users in the accounting department report that they are unable to access a shared network drive used by all departments. Upon troubleshooting, a technician determines that three users in the marketing department, two in sales, five in human resources, and ten in IT are all successfully accessing the shared network drive. Which of the following is MOST likely causing the issue?

- A. Corrupt user profiles
- B. Incorrect NTFS group permissions
- C. The share is unsecured
- D. Excessive page filing on server

Answer: B

Question No : 13

A system administrator has decided to create several VMs for a company. In which of the following locations would each of the VMs reside?

- A. Host
- B. VNC
- C. Guest
- D. VPN

Answer: A

Question No : 14

Which of the following is the number of 7-inch high servers that can be installed in a 42U rack?

- A. 4
- B. 5
- C. 10
- D. 12

Answer: C

Question No : 15

An administrator needs to deploy 1000 servers in a short period of time. Which of the following deployment methods will expedite the OS installations?

- A. Use disk duplicating software.

- B. Use USB disk images to deploy servers.
- C. Use a disk replicator.
- D. Use PXE boot to retrieve an image.

Answer: D

Question No : 16

A new DHCP server is placed on a network segment during off hours. When work resumes, users on a different network segment report connectivity issues. Users on the same network segment report no connectivity issues. Which of the following is the MOST likely reason for the connectivity issues?

- A. The DHCP server was configured without specifying a WINS server address for the users.
- B. The DHCP server was configured without specifying a DNS server address for the users.
- C. The DHCP relay agent was not configured on the adjacent network segment.
- D. The DHCP server was configured to use private IP addressing to all network segments.

Answer: C

Question No : 17

Which of the following is the core software application that manages computer virtualization?

- A. Hypervisor
- B. Hyperthreading
- C. Console
- D. KVM

Answer: A

Question No : 18

A technician would like to restrict when internal hardware components on the server are accessed. Which of the following server hardening techniques should the technician

implement?

- A. Intrusion detection
- B. BIOS password
- C. Chassis lock
- D. Disable WOL

Answer: C

Question No : 19

The logs on a server in a datacenter indicate that the server unexpectedly shut down minutes after the night cleaning crew started their shift. Which of the following is the MOST likely reason for the shut down?

- A. A hard disk on the server failed.
- B. A power surge occurred.
- C. The CPU on the server overheated.
- D. A memory module on the server failed.

Answer: B

Question No : 20

A technician is assigned a task to configure a new server with six hard drives. The senior administrator requested the technician utilize the drives for maximum fault tolerance. Which of the following RAID configurations should the technician use?

- A. RAID 3
- B. RAID 5
- C. RAID 10
- D. RAID 0

Answer: C

Question No : 21

A server technician in a datacenter configures a daemon to monitor the battery health in a UPS. Over a two day time period, the daemon generates a warning message. Which of the following represents the FIRST action that should be taken by the server technician?

- A. Perform a test on the UPS batteries
- B. Immediately replace the UPS batteries
- C. Move the servers connected to the UPS to another existing UPS
- D. Immediately replace the UPS with a new UPS

Answer: A

Question No : 22

Several of the finance department computers are experiencing timeouts while in their financial program. The program will not open or close; however, the previous day the program was running without issues. Which of the following is MOST likely the cause of this problem?

- A. Service priority
- B. Rogue processes
- C. Firewall problem
- D. Processor affinity

Answer: B

Question No : 23

A server has recently been configured as a network firewall. After the firewall was configured, users could no longer access a remote server. Which of the following, if properly configured on the firewall, will allow users to have secure access to the remote server?(Select TWO).

- A. Allow TCP port 21
- B. Allow TCP port 22
- C. Allow TCP port 23
- D. Allow TCP port 25
- E. Allow TCP port 161
- F. Allow TCP port 3389

Answer: B,F

Question No : 24

Users on multiple network segments report that they are unable to retrieve email from a server. Which of the following commands will allow a server technician to ensure that the email service is running on the server?

- A. ifconfig
- B. ipconfig
- C. nbtstat
- D. netstat

Answer: D

Question No : 25

A server administrator is implementing disk redundancy in all database servers. Which of the following RAID configurations should the administrator use so that a MINIMUM number of disks are required?

- A. RAID 0
- B. RAID 1
- C. RAID 5
- D. RAID 6

Answer: B

Question No : 26

An administrator decides to implement access control techniques to secure a data center. Which of the following would be the STRONGEST technique for the administrator to use?

- A. Multifactor authentication
- B. RFID chip
- C. Cipher locks
- D. Bollards

Answer: A

Question No : 27

A system administrator needs to directly control a server that has no network connectivity. Which of the following should be used to accomplish this?

- A. SSH
- B. KVM
- C. RDP
- D. iLO/iDRAC

Answer: B

Question No : 28

A technician is tasked with providing network-based high availability to a pair of identical web servers. Which of the following minimum server NIC configurations fulfills these requirements?

- A. Two physical NICs per server: one NIC configured for multicast and one for broadcast.
- B. One physical NIC per server: each individual NIC configured for network load balancing.
- C. Two physical NICs per server: one NIC for network traffic, and one for web traffic.
- D. One physical NIC per server: each NIC configured with the same MAC and IP address.

Answer: B

Question No : 29

In a PKI, which of the following represents the top level of a certificate authority?

- A. Root CA
- B. Intermediate CA
- C. Subordinate CA
- D. Delegated CA

Answer: A

Question No : 30

A network administrator is tasked to set up zoning for a SAN infrastructure that requires redundancy. Which of the following types of hardware should the administrator implement?

- A. Multiple VLANs
- B. Multiple host nodes
- C. Multiple HBAs
- D. Multiple routers

Answer: C

Question No : 31

A hardware compatibility list recommends striping with double parity as storage for an application. In a test environment, a technician realizes that a different RAID level can be used to compensate for a limited number of available disks. Which of the following is the closest RAID level the technician should deploy while minimizing the number of disks and maintaining fault tolerance?

- A. 0
- B. 1
- C. 5
- D. 10

Answer: C

Question No : 32

A technician notices a rack mounted server is beeping without booting up. The NEXT step to diagnose this issue would be to:

- A. continue to power cycle the server until it boots normally.
- B. count the beeps and reference the service manual.
- C. disable the alarm within the server.
- D. install the server into a different rack.

Answer: B

Question No : 33

Which of the following server types is commonly used for authentication and credential storage?

- A. File server
- B. Directory server
- C. Web server
- D. DNS server

Answer: B

Question No : 34

A user reports that a script \\Server\Share\Runme.bat, which is run on a daily basis, cannot be accessed. Which of the following is the FIRST step to take in resolving this issue?

- A. Check the network cable.
- B. Ping the gateway.
- C. Verify the workstation IP address.
- D. Ping the server.

Answer: D

Question No : 35

Historical data shows that on average, a server is likely to fail once every nine months. A company has purchased 24x7, four hour hardware response to replace a server's failed hardware. Additionally, the company can restore a server to its operational status within six hours from the time the failed hardware has been replaced. Which of the following describes this scenario?

- A. The company's MTTR is ten hours.
- B. Individual servers have 99.999% uptime.
- C. Service can be restored within four hours.

D. The operational SLA is six hours.

Answer: A

Question No : 36

An administrator is securing a secure web server by disabling ports. After completing this process, clients cannot access the secure web server. The administrator should now go back and verify whether which of the following ports is enabled?

- A. 23
- B. 389
- C. 443
- D. 445

Answer: C

Question No : 37

A server with a number of graphics cards installed was recently upgraded with additional graphics cards. Once the server is started, the system powers off unexpectedly. Prior to the upgrade, the server was stable and exhibited no odd behavior. Which of the following is the MOST likely cause of the problem?

- A. The card device drivers are out of date and need to be updated.
- B. The power supply cannot handle the additional power for the new cards.
- C. The operating system does not recognize the new cards.
- D. The cards are not compatible with the other server hardware.

Answer: B

Question No : 38

A system administrator is tasked with dividing the network so that each department is separate from the other. Which of the following should be used to accomplish this task?

- A. VLAN

- B. VPN
- C. VNC
- D. VM

Answer: A

Question No : 39

A server has been assigned a role of mail server. Which of the following services will be installed as a result of this selection?

- A. SNMP
- B. SMTP
- C. TCP
- D. DHCP
- E. SFTP

Answer: B

Question No : 40

In a Windows environment, a user is able to access the network folder and open items, but is not able to delete anything. Which of the following folder permissions does the user require?

- A. Execute
- B. Read
- C. Write
- D. Modify

Answer: D

Question No : 41

A system administrator has determined that more storage is needed for company data. The storage requires the highest speed data transfer rate with maximum performance. Which of the following solutions MUST be implemented to meet the business requirements?

- A. FC SAN
- B. FCoE
- C. iSCSI
- D. JBOD

Answer: A

Question No : 42

Two servers are to be configured for high availability in a cluster. Both servers will be running applications at the same time. This feature is know as:

- A. round robin.
- B. heartbeat.
- C. active/active.
- D. active/passive.

Answer: C

Question No : 43

A technician has completed the installation and configuration of a third email server. The technician has configured the firewall to permit email traffic, but the mail is only being received by the two older servers. Which of the following should the technician configure to ensure incoming email will be processed by all three servers?

- A. Enable NTP to ensure all three servers are synchronized.
- B. Configure IMAP on the new mail server.
- C. Add the DNS server option in DHCP.
- D. Update the MX record in DNS.

Answer: D

Question No : 44

A hardware failure affects a server in adatacenter. The server is critical to company operation, and the hardware vendor is out of stock on the parts needed to repairthe server. A network technician suggests replacing it with a server from the warm site.Which of the

following should the technician do FIRST?

- A. Outsource a hardware-certified courier to move the server to the datacenter.
- B. Check the DRP and BCP and talk to the company stakeholders before making the decision.
- C. Unrack the server from the warm site and move it to the datacenter.
- D. Order the parts from the hardware vendor and notify affected users that the server will be down.

Answer: B

Question No : 45

A line-of-business software patch notification is received. The notification indicates that version 5.0 of the software has new features that the accounting department has been expecting. The update requires a new version of the OS and new version of SQL on the server. Which of the following should the administrator perform FIRST?

- A. Schedule downtime to update the OS and SQL on the server.
- B. Download and test the new version.
- C. Develop a plan to build a test server.
- D. Request feedback from the accounting department.

Answer: C

Question No : 46

A server administrator is researching the purchase of SSD for a server. The administrator receives a report from the datacenter technician detailing current storage requirements and future growth planning estimates as follows:

ServerA: Current-15TB-Future-50% growth

ServerB: Current-20TB-Future-80% growth

Based on this report, which of the following represents the MINIMUM storage requirements needed?

- A. ServerA-18TB, ServerB-24TB
- B. ServerA-22TB, ServerB-22TB

- C. ServerA-23TB, ServerB-36TB
- D. ServerA-25TB, ServerB-40TB

Answer: C

Question No : 47

Which of the following is the purpose of an NTP server?

- A. For hosting instant messaging applications
- B. For synchronizing clocks on network devices
- C. For file sharing and collaboration
- D. For hosting newsgroups

Answer: B

Question No : 48

A technician is tasked with building a test server. Which of the following hard drive types will provide the highest performance?

- A. SCSI
- B. SAS
- C. SATA
- D. iSCSI

Answer: B

Question No : 49

A technician working in the datacenter has finished racking a new 4U server into a new rack. Which of the following should the technician do to allow for hot/cold aisle containment?

- A. Close the perforated floor tile in front of the new rack.
- B. Reset the rack temperature and humidity control.
- C. Install blanking panels in the rack.

D. Lower the temperature of the data center HVAC.

Answer: C

Question No : 50

Which of the following is a reason to have a remote cold site readily available in case of a disaster in the primary datacenter?

- A. It provides a company with a redundant location that mirrors the primary datacenter hardware but requires no data restoration.
- B. It provides a company with a backup location to install the necessary equipment to restore critical services.
- C. It provides a company with a backup location equipped with resources necessary for immediate restoration of critical services.
- D. It provides a company with a redundant location that mirrors the primary datacenter hardware and data.

Answer: B

Question No : 51

A technician is working on a server that is experiencing network connectivity issues. The technician replaces the NIC on the server, but this does not resolve the issue. Which of the following troubleshooting steps should the technician do NEXT?

- A. Establish a new theory of probable cause
- B. Perform a root cause analysis
- C. Document findings, actions, and outcomes
- D. Identify additional changes to the server

Answer: A

Question No : 52

A technician is installing a rack mounted server into a rack in a datacenter with CRAC units and blanking panels. Blanking panels are used to:

- A. lower the UPS power requirements.
- B. limit airflow leakage in the rack.
- C. limit the amount of servers that will fit into the rack.
- D. color match the server color.

Answer: B

Question No : 53

Which of the following allows virtual machines to share the NIC of the host?

- A. Virtual LANs
- B. NAT
- C. Bridging
- D. Virtual NICs

Answer: C

Question No : 54

Which of the following is a benefit of using raised floors with specially configured tiles in a server room?

- A. To provide for heat dissipation using forced air through the sub-floor.
- B. To provide for liquid cooling systems through the sub-floor.
- C. To provide a location for baffles or shrouds in the sub-floor.
- D. To provide a location for redundant power supplies in the sub-floor.

Answer: A

Question No : 55

A server's runtime during power outages is too short to shut down properly. A system technician is asked to remediate the problem. Which of the following would be the result of adding additional batteries to the UPS?

- A. Increased load balancing

- B. Extended uptime
- C. Greater efficiency
- D. Increased power output

Answer: B

Question No : 56

Two RAID arrays are created from eight disks. One is created using RAID 6, the other is created using RAID 5 with a hot spare. Which of the following is the operational difference between these configurations?

- A. RAID 6 has the ability to recover from two disks simultaneously failing.
- B. The RAID 5 array will be significantly faster than the RAID 6 array.
- C. The RAID 6 array will be significantly faster than the RAID 5 array.
- D. RAID 6 has a higher storage capacity than RAID 5.

Answer: A

Question No : 57

Which of the following is the MOST secure method of storing critical and sensitive system information (e.g. administrative passwords, trusted signing keys)?

- A. Store the information encrypted and offline in a storage safe.
- B. Encrypt the information using a zip file with a password.
- C. Utilize a drive with full disk encryption enabled.
- D. Create an encrypted virtual disk for storage.

Answer: A

Question No : 58

An administrator was tasked to enforce disk quotas on the Windows file server. The administrator allocated 1GB of space to each user. A month later, the users were still able to save beyond 1GB. Which of the following check boxes should have been selected?

- A. Enable compression
- B. Prohibit read/write if limit is reached
- C. Deny access if limit is reached
- D. Log an event if disk space is reached

Answer: C

Question No : 59

An older server has performance problems writing files to a RAID array. After checking for failed drives, no problems are found. Which of the following should be checked NEXT?

- A. The cooling system
- B. The cache battery
- C. The hard drive tray
- D. The hard drive cables

Answer: B

Question No : 60

Which of the following will protect data loss against catastrophic multiple physical drive failure?

- A. RAID 10
- B. Snapshot
- C. Tape backup
- D. RAID 5

Answer: C

Question No : 61

An administrator needs to control servers locally via a console. The administrator wants a rack mounted solution for easy access. Which of the following should be installed?

- A. iDRAC

- B. KVM
- C. ILO
- D. RDP

Answer: B

Question No : 62

A technician is asked to troubleshoot a hardware alert on a server. The server is up and running and all users can access their data. Which of the following could the technician use to find the failed component? (Select TWO).

- A. LEDs
- B. Dataflow diagram
- C. Power supply tester
- D. LCD messages
- E. Cabling diagram

Answer: A,D

Question No : 63

A system administrator is asked to set up several physical file servers that have recently crashed due to a power failure. Which of the following documents should the administrator refer to in order to complete this task?

- A. Server configuration documentation
- B. Network diagram
- C. Asset management documentation
- D. Dataflow diagram

Answer: A

Question No : 64

Which of the following server types stores the list of network usernames and passwords required for authentication?

- A. File server
- B. Directory
- C. DHCP
- D. SNMP

Answer: B

Question No : 65

A server administrator wants to upgrade the memory of the server using two memory modules. The server has two banks of memory with the following slots available: A2, A3, A4, B2, B3, and B4. In which of the following two slots should the administrator install the additional RAM?

- A. Slots A2 and A3
- B. Slots A2 and B2
- C. Slots A2 and B4
- D. Slots B2 and B3

Answer: B

Question No : 66

A technician needs to add a processor to a server. Which of the following specifications should the technician examine? (Select THREE).

- A. Bus multiplier
- B. Processor speed
- C. Socket type
- D. Processor stepping
- E. L3 cache size
- F. Thermal specifications

Answer: B,C,D

Question No : 67

When troubleshooting a failed backup, a technician runs the backup using the same tape

but on a different tape drive in the same tape library. The backup fails again. Which of the following should be the FIRST item the technician should examine as a failure?

- A. Tape drive
- B. Tape library
- C. Tape media
- D. Tape capacity

Answer: C

Question No : 68

Which of the following protocols is considered stateless and utilizes TCP when communicating between a server and client?

- A. IMAP
- B. SMTP
- C. HTTP
- D. SSH

Answer: C

Question No : 69

A customer reports that connectivity to their web server has been sporadic throughout the morning. An administrator has applied OS patches periodically throughout the morning and rebooted the server. Which of the following has the administrator MOST likely violated?

- A. Service level agreement
- B. Mean time before failure
- C. Mean time to repair
- D. Request for proposal

Answer: A

Question No : 70

A technician is called upon to add storage to a database server. The database administrator needs the maximum performance for accessing many small files. Which of the following specifications should the technician focus on when selecting the drive to add to the server?

- A. Form factor
- B. Capacity
- C. Bus bandwidth
- D. Seek time

Answer: D

Question No : 71

A server administrator is setting up a new set of hosts for an application that requires communication between all the hosts on a dedicated private subnet. Initially, the configuration consists of four hosts and is expected to grow to 48 total as the application is implemented for the entire company. When configuring the private subnet, which of the following CIDR netmasks would allow for the full number of hosts once the application is fully in production with the least number of unused addresses allocated?

- A. /25
- B. /26
- C. /27
- D. /28

Answer: B

Question No : 72

A system administrator is given a server with an existing OS installed and four empty SAS bays. The system administrator is asked to set up a new data drive for testing with 100GB of data. For the best possible performance, which of the following should the system administrator select for the data storage?

- A. SCSI
- B. SATA
- C. Solid state drive
- D. Flash drive

Answer: C

Question No : 73

Which of the following default ports should be open on a server for remote administration?

- A. TCP 25
- B. TCP 389
- C. TCP 3128
- D. TCP 3389

Answer: D

Question No : 74

In an effort to reduce recovery time during hardware failures, a server administrator needs to implement a backup method that will allow for complete OS and service/application recovery as long as compatible hardware is available. Which of the following backup types meets this requirement?

- A. Incremental
- B. Bare metal
- C. Snapshot
- D. Full

Answer: B

Question No : 75

An administrator is building a web server to host an online banking application. The server should not have access to the internal network, and only ports that are used by the application should be opened. Which of the following MUST be implemented to meet the business requirements?

- A. Add the server to the internal network and use IPSec to encrypt communication between the web server and other devices.
- B. Use an ISA server to block access to the internal network.

Microsoft Exams List

70-246 Dump PDF VCE	70-485 Dump PDF VCE	70-742 Dump PDF VCE	98-366 Dump PDF VCE
70-247 Dump PDF VCE	70-486 Dump PDF VCE	70-743 Dump PDF VCE	98-367 Dump PDF VCE
70-331 Dump PDF VCE	70-487 Dump PDF VCE	70-744 Dump PDF VCE	98-368 Dump PDF VCE
70-332 Dump PDF VCE	70-488 Dump PDF VCE	70-761 Dump PDF VCE	98-369 Dump PDF VCE
70-333 Dump PDF VCE	70-489 Dump PDF VCE	70-762 Dump PDF VCE	98-372 Dump PDF VCE
70-334 Dump PDF VCE	70-490 Dump PDF VCE	70-765 Dump PDF VCE	98-373 Dump PDF VCE
70-339 Dump PDF VCE	70-491 Dump PDF VCE	70-768 Dump PDF VCE	98-374 Dump PDF VCE
70-341 Dump PDF VCE	70-492 Dump PDF VCE	70-980 Dump PDF VCE	98-375 Dump PDF VCE
70-342 Dump PDF VCE	70-494 Dump PDF VCE	70-981 Dump PDF VCE	98-379 Dump PDF VCE
70-345 Dump PDF VCE	70-496 Dump PDF VCE	70-982 Dump PDF VCE	MB2-700 Dump PDF VCE
70-346 Dump PDF VCE	70-497 Dump PDF VCE	74-343 Dump PDF VCE	MB2-701 Dump PDF VCE
70-347 Dump PDF VCE	70-498 Dump PDF VCE	74-344 Dump PDF VCE	MB2-702 Dump PDF VCE
70-348 Dump PDF VCE	70-499 Dump PDF VCE	74-409 Dump PDF VCE	MB2-703 Dump PDF VCE
70-354 Dump PDF VCE	70-517 Dump PDF VCE	74-678 Dump PDF VCE	MB2-704 Dump PDF VCE
70-383 Dump PDF VCE	70-532 Dump PDF VCE	74-697 Dump PDF VCE	MB2-707 Dump PDF VCE
70-384 Dump PDF VCE	70-533 Dump PDF VCE	77-420 Dump PDF VCE	MB2-710 Dump PDF VCE
70-385 Dump PDF VCE	70-534 Dump PDF VCE	77-427 Dump PDF VCE	MB2-711 Dump PDF VCE
70-410 Dump PDF VCE	70-640 Dump PDF VCE	77-600 Dump PDF VCE	MB2-712 Dump PDF VCE
70-411 Dump PDF VCE	70-642 Dump PDF VCE	77-601 Dump PDF VCE	MB2-713 Dump PDF VCE
70-412 Dump PDF VCE	70-646 Dump PDF VCE	77-602 Dump PDF VCE	MB2-714 Dump PDF VCE
70-413 Dump PDF VCE	70-673 Dump PDF VCE	77-603 Dump PDF VCE	MB2-715 Dump PDF VCE
70-414 Dump PDF VCE	70-680 Dump PDF VCE	77-604 Dump PDF VCE	MB2-716 Dump PDF VCE
70-417 Dump PDF VCE	70-681 Dump PDF VCE	77-605 Dump PDF VCE	MB2-717 Dump PDF VCE
70-461 Dump PDF VCE	70-682 Dump PDF VCE	77-881 Dump PDF VCE	MB2-718 Dump PDF VCE
70-462 Dump PDF VCE	70-684 Dump PDF VCE	77-882 Dump PDF VCE	MB5-705 Dump PDF VCE
70-463 Dump PDF VCE	70-685 Dump PDF VCE	77-883 Dump PDF VCE	MB6-700 Dump PDF VCE
70-464 Dump PDF VCE	70-686 Dump PDF VCE	77-884 Dump PDF VCE	MB6-701 Dump PDF VCE
70-465 Dump PDF VCE	70-687 Dump PDF VCE	77-885 Dump PDF VCE	MB6-702 Dump PDF VCE
70-466 Dump PDF VCE	70-688 Dump PDF VCE	77-886 Dump PDF VCE	MB6-703 Dump PDF VCE
70-467 Dump PDF VCE	70-689 Dump PDF VCE	77-887 Dump PDF VCE	MB6-704 Dump PDF VCE
70-469 Dump PDF VCE	70-692 Dump PDF VCE	77-888 Dump PDF VCE	MB6-705 Dump PDF VCE
70-470 Dump PDF VCE	70-695 Dump PDF VCE	77-891 Dump PDF VCE	MB6-884 Dump PDF VCE
70-473 Dump PDF VCE	70-696 Dump PDF VCE	98-349 Dump PDF VCE	MB6-885 Dump PDF VCE
70-480 Dump PDF VCE	70-697 Dump PDF VCE	98-361 Dump PDF VCE	MB6-886 Dump PDF VCE
70-481 Dump PDF VCE	70-698 Dump PDF VCE	98-362 Dump PDF VCE	MB6-889 Dump PDF VCE
70-482 Dump PDF VCE	70-734 Dump PDF VCE	98-363 Dump PDF VCE	MB6-890 Dump PDF VCE
70-483 Dump PDF VCE	70-740 Dump PDF VCE	98-364 Dump PDF VCE	MB6-892 Dump PDF VCE
70-484 Dump PDF VCE	70-741 Dump PDF VCE	98-365 Dump PDF VCE	MB6-893 Dump PDF VCE

Cisco Exams List

010-151 Dump PDF VCE	350-018 Dump PDF VCE	642-737 Dump PDF VCE	650-667 Dump PDF VCE
100-105 Dump PDF VCE	352-001 Dump PDF VCE	642-742 Dump PDF VCE	650-669 Dump PDF VCE
200-001 Dump PDF VCE	400-051 Dump PDF VCE	642-883 Dump PDF VCE	650-752 Dump PDF VCE
200-105 Dump PDF VCE	400-101 Dump PDF VCE	642-885 Dump PDF VCE	650-756 Dump PDF VCE
200-120 Dump PDF VCE	400-151 Dump PDF VCE	642-887 Dump PDF VCE	650-968 Dump PDF VCE
200-125 Dump PDF VCE	400-201 Dump PDF VCE	642-889 Dump PDF VCE	700-001 Dump PDF VCE
200-150 Dump PDF VCE	400-251 Dump PDF VCE	642-980 Dump PDF VCE	700-037 Dump PDF VCE
200-155 Dump PDF VCE	400-351 Dump PDF VCE	642-996 Dump PDF VCE	700-038 Dump PDF VCE
200-310 Dump PDF VCE	500-006 Dump PDF VCE	642-997 Dump PDF VCE	700-039 Dump PDF VCE
200-355 Dump PDF VCE	500-007 Dump PDF VCE	642-998 Dump PDF VCE	700-101 Dump PDF VCE
200-401 Dump PDF VCE	500-051 Dump PDF VCE	642-999 Dump PDF VCE	700-104 Dump PDF VCE
200-601 Dump PDF VCE	500-052 Dump PDF VCE	644-066 Dump PDF VCE	700-201 Dump PDF VCE
210-060 Dump PDF VCE	500-170 Dump PDF VCE	644-068 Dump PDF VCE	700-205 Dump PDF VCE
210-065 Dump PDF VCE	500-201 Dump PDF VCE	644-906 Dump PDF VCE	700-260 Dump PDF VCE
210-250 Dump PDF VCE	500-202 Dump PDF VCE	646-048 Dump PDF VCE	700-270 Dump PDF VCE
210-255 Dump PDF VCE	500-254 Dump PDF VCE	646-365 Dump PDF VCE	700-280 Dump PDF VCE
210-260 Dump PDF VCE	500-258 Dump PDF VCE	646-580 Dump PDF VCE	700-281 Dump PDF VCE
210-451 Dump PDF VCE	500-260 Dump PDF VCE	646-671 Dump PDF VCE	700-295 Dump PDF VCE
210-455 Dump PDF VCE	500-265 Dump PDF VCE	646-985 Dump PDF VCE	700-501 Dump PDF VCE
300-070 Dump PDF VCE	500-275 Dump PDF VCE	648-232 Dump PDF VCE	700-505 Dump PDF VCE
300-075 Dump PDF VCE	500-280 Dump PDF VCE	648-238 Dump PDF VCE	700-601 Dump PDF VCE
300-080 Dump PDF VCE	500-285 Dump PDF VCE	648-244 Dump PDF VCE	700-602 Dump PDF VCE
300-085 Dump PDF VCE	500-290 Dump PDF VCE	648-247 Dump PDF VCE	700-603 Dump PDF VCE
300-101 Dump PDF VCE	500-801 Dump PDF VCE	648-375 Dump PDF VCE	700-701 Dump PDF VCE
300-115 Dump PDF VCE	600-199 Dump PDF VCE	648-385 Dump PDF VCE	700-702 Dump PDF VCE
300-135 Dump PDF VCE	600-210 Dump PDF VCE	650-032 Dump PDF VCE	700-703 Dump PDF VCE
300-160 Dump PDF VCE	600-211 Dump PDF VCE	650-042 Dump PDF VCE	700-801 Dump PDF VCE
300-165 Dump PDF VCE	600-212 Dump PDF VCE	650-059 Dump PDF VCE	700-802 Dump PDF VCE
300-180 Dump PDF VCE	600-455 Dump PDF VCE	650-082 Dump PDF VCE	700-803 Dump PDF VCE
300-206 Dump PDF VCE	600-460 Dump PDF VCE	650-127 Dump PDF VCE	810-403 Dump PDF VCE
300-207 Dump PDF VCE	600-501 Dump PDF VCE	650-128 Dump PDF VCE	820-424 Dump PDF VCE
300-208 Dump PDF VCE	600-502 Dump PDF VCE	650-148 Dump PDF VCE	840-425 Dump PDF VCE
300-209 Dump PDF VCE	600-503 Dump PDF VCE	650-159 Dump PDF VCE	
300-210 Dump PDF VCE	600-504 Dump PDF VCE	650-281 Dump PDF VCE	
300-320 Dump PDF VCE	640-692 Dump PDF VCE	650-393 Dump PDF VCE	
300-360 Dump PDF VCE	640-875 Dump PDF VCE	650-472 Dump PDF VCE	
300-365 Dump PDF VCE	640-878 Dump PDF VCE	650-474 Dump PDF VCE	
300-370 Dump PDF VCE	640-911 Dump PDF VCE	650-575 Dump PDF VCE	
300-375 Dump PDF VCE	640-916 Dump PDF VCE	650-621 Dump PDF VCE	
300-465 Dump PDF VCE	642-035 Dump PDF VCE	650-663 Dump PDF VCE	
300-470 Dump PDF VCE	642-732 Dump PDF VCE	650-665 Dump PDF VCE	
300-475 Dump PDF VCE	642-747 Dump PDF VCE	650-754 Dump PDF VCE	

HOT EXAMS

Cisco

[100-105 Dumps VCE PDF](#)
[200-105 Dumps VCE PDF](#)
[300-101 Dumps VCE PDF](#)
[300-115 Dumps VCE PDF](#)
[300-135 Dumps VCE PDF](#)
[300-320 Dumps VCE PDF](#)
[400-101 Dumps VCE PDF](#)
[640-911 Dumps VCE PDF](#)
[640-916 Dumps VCE PDF](#)

Microsoft

[70-410 Dumps VCE PDF](#)
[70-411 Dumps VCE PDF](#)
[70-412 Dumps VCE PDF](#)
[70-413 Dumps VCE PDF](#)
[70-414 Dumps VCE PDF](#)
[70-417 Dumps VCE PDF](#)
[70-461 Dumps VCE PDF](#)
[70-462 Dumps VCE PDF](#)
[70-463 Dumps VCE PDF](#)
[70-464 Dumps VCE PDF](#)
[70-465 Dumps VCE PDF](#)
[70-480 Dumps VCE PDF](#)
[70-483 Dumps VCE PDF](#)
[70-486 Dumps VCE PDF](#)
[70-487 Dumps VCE PDF](#)

CompTIA

[220-901 Dumps VCE PDF](#)
[220-902 Dumps VCE PDF](#)
[N10-006 Dumps VCE PDF](#)
[SY0-401 Dumps VCE PDF](#)