



Vendor: Oracle

Exam Code: 1Z0-052

Exam Name: Oracle Database 11g: Administration I

Version: Demo

QUESTION 1

You notice that the performance of the database has degraded because of frequent checkpoints. Which two actions resolve the issue? (Choose two.)

- A. Disable automatic checkpoint tuning.
- B. Check the size of the redo log file size and increase the size if it is small.
- C. Set the FAST_START_MTTR_TARGET parameter as per the advice given by the MTTR Advisor.
- D. Decrease the number of redo log members if there are more than one redo log members available in each redo log group.

Correct Answer: BC

QUESTION 2

Identify the memory component from which memory may be allocated for: Session memory for the shared server Buffers for I/O slaves Oracle Database Recovery Manager (RMAN) backup and restore operations

- A. Large Pool
- B. Redo Log Buffer
- C. Database Buffer Cache
- D. Program Global Area (PGA)

Correct Answer: A

QUESTION 3

You executed the following command to create a tablespace called SALES_DATA:

```
SQL> CREATE TABLESPACE sales_data  
DATAFILE SIZE 100M  
SEGMENT SPACE MANAGEMENT AUTO;
```

Which two statements are true about the SALES_DATA tablespace? (Choose two.)

- A. The database automatically determines the extent-sizing policy for the tablespace.
- B. The segments are automatically shrunk when the contents are removed from them.
- C. The allocation of extents within the tablespace is managed through the dictionary tables.
- D. The space utilization description of the data blocks in segments is recorded in bitmap blocks.
- E. The space utilization description of the data blocks in segments is managed through free lists.

Correct Answer: AD

QUESTION 4

In which of the scenario will the DBA perform recovery? (Choose two.)

- A. The alert log file is corrupted
- B. A tablespace is accidentally dropped
- C. One of the redo log members is corrupted
- D. A database user terminates the session abnormally
- E. The hard disk on which the data files is stored is corrupted

Correct Answer: BE

QUESTION 5

You want to enable archiving on your database. Presently, the database is running in NOARCHIVELOG mode.

Given below are the steps to accomplish the task in random order:

1. Shut down the instance.
2. Execute the ALTER DATABASE ARCHIVELOG command.
3. Start up the instance and mount the database.
4. Set the DB_RECOVERY_FILE_DEST initialization parameter to \$ORACLE_HOME/dest_1.
5. Open the database.

Which is the correct sequence of steps for accomplishing the task?

- A. 4, 1, 3, 2, 5
- B. 1, 3, 4, 5, 2
- C. 1, 3, 2, 5; 4 not required
- D. 4, 1, 5, 2; 3 not required
- E. 1, 3, 4, 5; 2 not required

Correct Answer: C

QUESTION 6

You want to check the details of few errors that users have reported. You search for the alert log file and execute few commands to find the location of the alert log file.

View the Exhibit and check the commands executed.

```
SQL> SELECT name, value FROM v$spparameter WHERE name LIKE '%dest';
```

NAME	VALUE
log_archive_dest	
log_archive_duplex_dest	
log_archive_min_succeed_dest	
standby_archive_dest	
db_create_file_dest	
db_recovery_file_dest	/u01/app/oracle/flash_recovery_area
background_dump_dest	
user_dump_dest	
core_dump_dest	
audit_file_dest	/u01/app/oracle/admin/orcl/adump
diagnostic_dest	

```
11 rows selected.

SQL> exit
Disconnected from Oracle Database 11g Enterprise Edition Release
11.1.0.6.0 - Production
With the Partitioning, OLAP and Data Mining options
[oracle@edt4r4p1 ~]$ echo $ORACLE_BASE
/u01/app/oracle
[oracle@edt4r4p1 ~]$ echo $ORACLE_SID
orcl
[oracle@edt4r4p1 ~]$
```

What is the location of the alert_orcl.log file?

- A. ORACLE_HOME/db
- B. ORACLE_HOME/rdbms
- C. /u01/app/oracle/admin/orcl/adump
- D. /u01/app/oracle/flash_recovery_area
- E. ORACLE_BASE/diag/rdbms/orcl/alert
- F. ORACLE_BASE/diag/rdbms/orcl/orcl/trace

Correct Answer: F

QUESTION 7

See the Exhibit. Which statements are true regarding the USERS tablespace? (Choose two.)

Select	Name	Allocated Size(MB)	Space Used(MB)	Allocated Space Used(%)	Allocated Free Space(MB)	Status	Datafiles	Type	Extent Management	Segment Management
<input type="checkbox"/>	EXAMPLE	100.0	77.8	77.8	22.2	✓	1	PERMANENT	LOCAL	AUTO
<input type="checkbox"/>	MYTBS1	5.0	4.6	92.5	0.4	✓	1	PERMANENT	LOCAL	AUTO
<input type="checkbox"/>	MYTBS2	5.0	0.3	6.2	4.7	✓	1	PERMANENT	LOCAL	AUTO
<input type="checkbox"/>	SYSAUX	911.0	867.1	95.2	43.9	✓	1	PERMANENT	LOCAL	AUTO
<input type="checkbox"/>	SYSTEM	720.0	711.4	98.8	8.6	✓	1	PERMANENT	LOCAL	MANUAL
<input type="checkbox"/>	TEMP	52.0	0.0	0.0	52.0	✓	1	TEMPORARY	LOCAL	MANUAL
<input type="checkbox"/>	UNDOTBS1	115.0	7.6	6.6	107.4	✓	1	UNDO	LOCAL	MANUAL
<input type="checkbox"/>	USERS	15.0	13.4	89.2	1.6	✓	1	PERMANENT	LOCAL	AUTO

- A. A bitmap is used to record free extents.
- B. Free extents information is managed within the tablespace.
- C. Free extents information is managed in the SYSAUX tablespace.
- D. The data dictionary tables are updated when extents are allocated or deallocated.

Correct Answer: AB

QUESTION 8

Examine the values for the following initialization parameters:

```
FAST_START_MTTR_TARGET=0
LOG_CHECKPOINT_INTERVAL=0
```

Which two will be the implications of these values in your database? (Choose two.)

- A. The SGA advisor will be disabled.
- B. The MTTR advisor will be disabled.
- C. Automatic checkpoint tuning will be disabled.
- D. Checkpoint information will not be written to the alert log file.

Correct Answer: BC

QUESTION 9

In your database instance, the STATISTICS_LEVEL initialization parameter is set to BASIC. What is the impact of this setting?

- A. Optimizer statistics are collected automatically.
- B. Only timed operating system (OS) statistics and plan execution statistics are collected.
- C. The snapshots for the Automatic Workload Repository (AWR) are not generated automatically.
- D. Snapshots cannot be collected manually by using the DBMS_WORKLOAD_REPOSITORY package.
- E. The Oracle server dynamically generates the necessary statistics on tables as part of query optimization.

Correct Answer: C

QUESTION 10

You have recently collected statistics on certain objects of a schema in your database. But you observe suboptimal execution plans for the queries on these objects after two days of statistics collection. The optimizer statistics retention period is set to its default value. Which action would help to use the previous set of statistics on the objects?

- A. Restore statistics from statistics history.
- B. Reduce the optimizer statistics retention period by 2 days.
- C. Set the OPTIMIZER_PENDING_STATISTICS parameter to TRUE.
- D. Reduce the Automatic Workload Repository (AWR) retention period by 2 days.

Correct Answer: A

QUESTION 11

Which three statements regarding the server parameter file (SPFILE) are true? (Choose three.)

- A. An SPFILE is a binary file.
- B. An SPFILE cannot reside on a client.
- C. An SPFILE cannot contain static parameters.
- D. An SPFILE can store changes persistently across instance restarts.
- E. An SPFILE can be read by the database server, but it is not written to by the server.
- F. An SPFILE must be created manually, before creating a database, even if you use the Database Configuration Assistant (DBCA) to create the database.

Correct Answer: ABD

QUESTION 12

Your test database is configured to run in NOARCHIVELOG mode. One of the data files in the USERS tablespace is lost due to a media failure. You notice that all the online redo logs have been overwritten since the last backup. What would you do to recover the data file?

- A. Take the USERS tablespace offline and re-create the lost data file.
- B. Shutdown the instance, restore the data file from the last consistent backup and restart the database instance.
- C. Shutdown the instance, restores all the database files from the last consistent backup and restart the database instance.
- D. Take the USERS tablespace offline, restore all the data files of the USERS tablespace from the last consistent backup and make the tablespace online.

Correct Answer: C

QUESTION 13

Examine the command:

```
SQL>DBMS_STATS.SET_TABLE_PREFS('SH','CUSTOMERS','PUBLISH','false');
```

Which statement describes the effect of the above command?

- A. Automatic statistics collection is stopped for the CUSTOMERS table
- B. Statistics for the CUSTOMERS table are locked and cannot be overwritten
- C. Existing statistics for the CUSTOMERS table become unusable for the query optimizer
- D. Subsequently, statistics gathered on the CUSTOMERS table are stored as pending statistics

Correct Answer: D

QUESTION 14

The instance abnormally terminates because of a power outage. Which statement is true about redo log files during instance recovery?

- A. Inactive and current redo log files are required to accomplish recovery.
- B. Online and archived redo files are required to accomplish instance recovery.
- C. All redo log entries after the last checkpoint are applied from redo log files to data files.
- D. All redo log entries recorded in the current log file until the checkpoint positions are applied to data files.

Correct Answer: C

QUESTION 15

Examine the command:

```
SQL>ALTER USER skd ACCOUNT LOCK;
```

Which two statements are true after the command is executed? (Choose two.)

- A. The SKD user cannot log in to the database instance.
- B. The objects owned by the SKD user are not accessible to any user.
- C. The other users can access the objects owned by the SKD user, on which they have access.
- D. The password for the SKD user expires and the user is forced to change the password at the next log in.

Correct Answer: AC

QUESTION 16

For which database operation would you need the database to be in the MOUNT state?

- A. Renaming the control files.
- B. Re-creating the control files.
- C. Dropping a user in your database.
- D. Dropping a tablespace in your database.
- E. Configuring the database instance to operate in the ARCHIVELOG or NOARCHIVELOG modes.

Correct Answer: E

QUESTION 17

The job to gather optimizer statistics for objects runs as part of the automatic maintenance window in your database instance. At a certain point of time, the maintenance window closes before the statistics are gathered for all objects. Which statement is true in this scenario?

- A. The statistics collection continues until all objects are processed.
- B. The job is terminated and the statistics collected are restored to a time before the job started.
- C. This produces an error and the statistics collected are locked until the next time that the maintenance window is opened.
- D. The job is terminated and the statistics for the remaining objects are collected the next time that the maintenance window is opened.

Correct Answer: D

QUESTION 18

You want to move all objects of the APPS user in the test database to the DB_USR schema of the production database. Which option of IMPDP would you use to accomplish this task?

- A. FULL
- B. SCHEMAS
- C. TRANSFORM
- D. REMAP_SCHEMA
- E. REMAP_TABLESPACE

Correct Answer: D

QUESTION 19

You executed the following command to create a password file in the database server:

```
$ orapwd file = orapworcl entries = 5 ignorecase=N
```

Which statement describes the purpose of the above password file?

- A. It records usernames and passwords of users when granted the DBA role
- B. It contains usernames and passwords of users for whom auditing is enabled
- C. It is used by Oracle to authenticate users for remote database administrator
- D. It records usernames and passwords of all users when they are added to OSDBA or OSOPER operating groups

Correct Answer: C

QUESTION 20

```
SQL> CREATE BIGFILE TABLESPACE MRKT
2 DATAFILE '/u01/app/oracle/oradata/orcl/mrkt.dbf' size 10M LOGGING
3 EXTENT MANAGEMENT LOCAL SEGMENT SPACE MANAGEMENT AUTO;
Tablespace created.
```

```
SQL> ALTER DATABASE DEFAULT TABLESPACE MRKT;
Database altered.
```

Which two statements are true regarding the MRKT tablespace? (Choose two.)

- A. No more data files can be added to the tablespace.
- B. Segment space is managed by free lists in the tablespace.
- C. A user created without being assigned a default tablespace uses this tablespace.
- D. The tablespace can be dropped with the current setting with segments present in it.

Correct Answer: AC

QUESTION 21

View the Exhibit and examine the privileges granted to the MGR_ROLE role.

The user SKD has been granted the CONNECT and RESOURCE roles only. The database administrator (DBA) grants MGR_ROLE to the user SKD by executing the command:

```
SQL> GRANT MGR_ROLE TO SKD WITH ADMIN OPTION;
```

Which statement is true about the user SKD after he/she is granted this role?

General		
Name	MGR_ROLE	
Authentication	None	
Roles		
Role	Admin Option	
No items found		
System Privileges		
System Privilege	Admin Option	
CREATE ROLE	N	
CREATE USER	N	
SELECT ANY TABLE	N	
Object Privileges		
Object Privilege	Schema	Object
No items found		

- A. The user SKD can grant only the MGR_ROLE role to other users, but not the privileges in it.
- B. The user SKD can revoke the MGR_ROLE only from the users for whom he/she is the grantor.
- C. The user SKD can grant the privileges in the MGR_ROLE role to other users but not with ADMIN OPTION.
- D. The user SKD can grant the privileges in the MGR_ROLE role to other users, but cannot revoke privileges from them.

Correct Answer: A

QUESTION 22

After performing a clean shut down of the database instance for maintenance, you mount the database and then execute a command to open the database:

```
SQL> ALTER DATABASE OPEN;
```

Which two statements are true? (Choose two.)

- A. The online redo log files and online data files are opened
- B. All the online data files headers are checked for consistency
- C. Instance recovery is performed before opening the database
- D. The path and existence of all the log file members are checked

Correct Answer: AB

QUESTION 23

Examine the command that is used to create a table:

```
SQL> CREATE TABLE orders (  
oid NUMBER(6) PRIMARY KEY,  
odate DATE,  
ccode NUMBER (6),  
oamt NUMBER(10,2)  
) TABLESPACE users;
```

Which two statements are true about the effect of the above command? (Choose two.)

- A. A CHECK constraint is created on the OID column.
- B. A NOT NULL constraint is created on the OID column.
- C. The ORDERS table is the only object created in the USERS tablespace.
- D. The ORDERS table and a unique index are created in the USERS tablespace.
- E. The ORDERS table is created in the USERS tablespace and a unique index is created on the OID column in the SYSTEM tablespace.

Correct Answer: BD

QUESTION 24

Which two statements are true about Shared SQL Area and Private SQL Area? (Choose two.)

- A. Shared SQL Area will be allocated in the shared pool
- B. Shared SQL Area will be allocated when a session starts
- C. Shared SQL Area will be allocated in the large pool always

- D. The whole of Private SQL Area will be allocated in the Program Global Area (PGA) always
- E. Shared SQL Area and Private SQL Area will be allocated in the PGA or large pool
- F. The number of Private SQL Area allocations is dependent on the OPEN_CURSORS parameter

Correct Answer: AF

QUESTION 25

Which three statements are correct about temporary tables? (Choose three.)

- A. Indexes and views can be created on temporary tables.
- B. Both the data and structure of temporary tables can be exported.
- C. Temporary tables are always created in a user's temporary tablespace.
- D. The data inserted into a temporary table in a session is available to other sessions.
- E. Data Manipulation Language (DML) locks are never acquired on the data of temporary tables.

Correct Answer: ACE

QUESTION 26

Which two kinds of failures make the Data Recovery Advisor (DRA) generate a manual checklist? (Choose two.)

- A. Failure when no standby database is configured.
- B. Failure because a data file is renamed accidentally.
- C. Failure that requires no archive logs to be applied for recovery.
- D. Failure due to loss of connectivity-for example, an unplugged disk cable.

Correct Answer: BD

QUESTION 27

Which two statements correctly describe the relation between a data file and the logical database structures? (Choose two)

- A. An extent cannot spread across data files.
- B. A segment cannot spread across data files.
- C. A data file can belong to only one tablespace.
- D. A data file can have only one segment created in it.
- E. A data block can spread across multiple data files as it can consist of multiple operating system (OS) blocks.

Correct Answer: AC

QUESTION 28

Which two statements are true regarding a tablespace? (Choose two.)

- A. It can span multiple databases
- B. It can consist of multiple data files
- C. It can contain blocks of different files
- D. It can contains segments of different sizes
- E. It can contains a part of nonpartitioned segment

Correct Answer: BD

QUESTION 29

Which two statements are true regarding Oracle Data Pump? (Choose two.)

- A. EXPDP and IMPDP are the client components of Oracle Data Pump
- B. DBMS_DATAPUMP PL/SQL packages can be used indedendently of the DATA Pump clients
- C. Oracle Data Pump export and import operations can be performed only by users with the SYSDBA privilege
- D. Oracle Data Pump imports can be done from the export files generated in the Original Export Release 9.x
- E. EXPDP and IMPDP use the procedures provided by DBMS_METADATA to execute export and import commands

Correct Answer: AB

QUESTION 30

Identify the two situations in which the alert log file is updated with details. (Choose two.)

- A. Running a query on a table returns "ORA-600: Internal Error"
- B. Inserting a value in a table returns "ORA-01722: Invalid Number"
- C. Creating a table returns "ORA-00955: name is already used by an existing object"
- D. Inserting a value in a table returns "ORA-00001: unique constraint (SYS.PK_TECHP) violated."
- E. Rebuilding an index using ALTER INDEX ... REBUILD fails with an error "ORA-01578: ORACLE data block corrupted (file # 14, block @ 50)."
- F. Rebuilding an index using ALTER INDEX ... REBUILD fails with an error "ORA-01578: ORACLE data block corrupted (file #14, block #50)."

Correct Answer: AE

EnsurePass.com Members Features:

1. Verified Answers researched by industry experts.
2. Q&As are downloadable in PDF and VCE format.
3. 98% success Guarantee and **Money Back** Guarantee.
4. Free updates for **180** Days.
5. **Instant Access to download the Items**

View list of All Exam provided:

<http://www.ensurepass.com/certifications?index=A>

To purchase Lifetime Full Access Membership click here:

<http://www.ensurepass.com/user/register>

Valid Discount Code for 2015: JREH-G1A8-XHC6

To purchase the HOT Exams:

<u>Cisco</u>		<u>CompTIA</u>		<u>Oracle</u>	<u>VMWare</u>	<u>IBM</u>
100-101	640-554	220-801	LX0-101	1Z0-051	VCAD510	C2170-011
200-120	200-101	220-802	N10-005	1Z0-052	VCP510	C2180-319
300-206	640-911	BR0-002	SG0-001	1Z0-053	VCP550	C4030-670
300-207	640-916	CAS-001	SG1-001	1Z0-060	VCAC510	C4040-221
300-208	640-864	CLO-001	SK0-003	1Z0-474	VCP5-DCV	RedHat
350-018	642-467	ISS-001	SY0-301	1Z0-482	VCP510PSE	EX200
352-001	642-813	JK0-010	SY0-401	1Z0-485		EX300
400-101	642-832	JK0-801	PK0-003	1Z0-580		
640-461	642-902			1Z0-820		

