

Ensurepass.com Easy Test! Easy Pass!



Vendor: Cisco

Exam Code: 642-736

Exam Name: Implementing Advanced Cisco Unified Wireless Security (IAUWS)

Version: DEMO

QUESTION 1

What is the purpose of looking for anomalous behavior on a WLAN infrastructure?

- A. identifying new attack tools
- B. auditing employee's bandwidth usage
- C. identifying attacks using signature matching
- D. improving performance by load balancing

Answer: A

QUESTION 2

When deploying guest WLAN access using the anchor controller, which is used to transport the guest data traffic between the foreign and anchor controllers?

- A. UDP port 16666
- B. UDP port 16667
- C. IP protocol 97
- D. UDP port 161
- E. UDP port 162

Answer: C

QUESTION 3

When is local EAP authentication on the controller used?

- A. to authenticate the APs that act as 802.1X supplicants
- B. as a backup in case the APs cannot reach the controllers
- C. as a backup in case the RADIUS servers are not reachable
- D. when deploying guest access using the anchor controller

Answer: C

QUESTION 4

Drop Drag

Match the EAP method on the left to its correct description on the right.

EAP-FAST	requires client and server digital certificates
EAP-TLS	only requires server digital certificate
PEAP	uses PACs instead of digital certificates

Answer:

Match the EAP method on the left to its correct description on the right.

- EAP-FAST
- EAP-TLS
- PEAP

- EAP-TLS
- PEAP
- EAP-FAST

QUESTION 5

When adding a new Local Net User on the controller, what happens if the Guest User check box is selected?

- A. Web authentication will be enabled on the guest account.
- B. The amount of time the guest user has access to the local network will be limited.
- C. The controller will authenticate the guest account using the Cisco NAC Guest Server.
- D. The guest user traffic will be associated to the guest VLAN. E.802.1x authentication will be disabled on the guest account.

Answer: B

QUESTION 6

For wireless NAC OOB implementation, the Cisco WLC is added on the Cisco NAC Appliance Manager as what kind of device?

- A. RADIUS client
- B. RADIUS server
- C. SNMP trap receiver
- D. OOB management device
- E. OOB virtual gateway

Answer: D

QUESTION 7

Which function does a rogue detector access point perform?

- A. RLDP
- B. switch port tracing
- C. rogue AP containment
- D. identifying a rogue AP on the wired network

Answer: D

QUESTION 8

If DHCP services are implemented on the anchor controller, what is locally populated in the primary DHCP server field?

- A. DHCP relay IP address
- B. next-hop router IP address
- C. firewall DMZ interface IP address

D. management IP address of the controller

Answer: D

QUESTION 9

When using Cisco Secure Services Client to configure a wireless LAN connection that uses EAP-FAST, which three options are available as the inner authentication method? (Choose three.)

- A. GTC
- B. PAC
- C. MSChapV2
- D. TLS
- E. PAP
- F. pre-shared key

Answer: ACD

QUESTION 10

As of controller release v5.2, which two statements about wired guest access support are true? (Choose two.)

- A. It is not supported on the Cisco 2100 Series Controllers.
- B. No more than three wired guest access LANs can be configured on a controller.
- C. Layer 3 web authentication and passthrough are not supported.
- D. Wired guest access cannot be configured in a dual-controller configuration that uses an anchor controller and a foreign controller.
- E. The wired guest access ports must be in the same Layer 2 network as the foreign controller.

Answer: AE

Ensurepass.com Members Features:

1. Verified Answers researched by industry experts.
2. Q&As are downloadable in PDF and VCE format.
3. 98% success Guarantee and **Money Back** Guarantee.
4. Free updates for **180** Days.

View list of All Exam provided:

<http://www.ensurepass.com/certifications?index=A>

To purchase Lifetime Full Access Membership click here:

<http://www.ensurepass.com/user/register>

Valid Discount Code for 2014: SFOH-FZA0-7Q2S

To purchase the HOT Exams:

<u>Cisco</u>		<u>CompTIA</u>		<u>Oracle</u>	<u>VMWare</u>	<u>IBM</u>
<u>100-101</u>	<u>640-554</u>	<u>220-801</u>	<u>LX0-101</u>	<u>1Z0-051</u>	<u>VCAD510</u>	<u>C2170-011</u>
<u>200-120</u>	<u>640-802</u>	<u>220-802</u>	<u>N10-005</u>	<u>1Z0-052</u>	<u>VCP510</u>	<u>C2180-319</u>
<u>300-206</u>	<u>640-816</u>	<u>BR0-002</u>	<u>SG0-001</u>	<u>1Z0-053</u>	<u>VCP550</u>	<u>C4030-670</u>
<u>300-207</u>	<u>640-822</u>	<u>CAS-001</u>	<u>SG1-001</u>	<u>1Z0-060</u>	<u>VCAC510</u>	<u>C4040-221</u>
<u>300-208</u>	<u>640-864</u>	<u>CLO-001</u>	<u>SK0-002</u>	<u>1Z0-474</u>	<u>VCP5-DCV</u>	<u>RedHat</u>
<u>350-018</u>	<u>642-467</u>	<u>ISS-001</u>	<u>SK0-003</u>	<u>1Z0-482</u>	<u>VCP510PSE</u>	<u>EX200</u>
<u>352-001</u>	<u>642-813</u>	<u>JK0-010</u>	<u>SY0-101</u>	<u>1Z0-485</u>		<u>EX300</u>
<u>400-101</u>	<u>642-902</u>	<u>JK0-801</u>	<u>SY0-301</u>	<u>1Z0-580</u>		
<u>640-461</u>	<u>700-302</u>			<u>1Z0-820</u>		

