

Ensurepass.com Easy Test! Easy Pass!



Vendor: Cisco

Exam Code: 642-973

Exam Name: Cisco Data Center Networking Infrastructure
Support - 1 (DCNIS1)

Version: DEMO

QUESTION 1

Which command is used to enable Cisco NSF for BGP?

- A. 6500(config-router)# bgp graceful-restart
- B. 6500(config-router)# bgp nsf
- C. 6500(config)# bgp enable nsf
- D. 6500(config-router)# enable nsf-capable
- E. 6500(config-router)# nsf

Answer: A

QUESTION 2

You are using RPR. A switchover event will be triggered if either of which two of these fails? (Choose two.)

- A. an administratively monitored line card
- B. a service module
- C. a DFC on a monitored line card
- D. an inter-supervisor clock synchronization
- E. an active supervisor MSFC

Answer: DE

QUESTION 3

Which three of these are examples of FHRPs? (Choose three.)

- A. HSRP
- B. proxy ARP
- C. IRDP
- D. VRRP
- E. GLBP
- F. RIP

Answer: ADE

QUESTION 4

A customer has installed an FWSM in the data center. Which feature must be configured to enable FTP to work?

- A. dynamic NAT
- B. dynamic PAT
- C. access lists
- D. transparent mode
- E. deep packet inspection

Answer: E

QUESTION 5

Which ingress QoS trust setting sets the CoS or ToS values of any frame entering that port to zero?

- A. trust CoS
- B. trust IP precedence
- C. untrusted
- D. trust DSCP

Answer: C

QUESTION 6

In a Cisco Catalyst 6500 Series Switch, which engine is required in order to use the distributed Cisco Express Forwarding architecture?

- A. DFC
- B. PFC3A
- C. MSFC3
- D. PFC3B
- E. PFC3BXL

Answer: A

QUESTION 7

Which two features make up the fault management framework? (Choose two.)

- A. CiscoWorks application
- B. Generic Online Diagnostics
- C. Soft high availability
- D. HP OpenView
- E. CiscoWork Resource Management Essentials

Answer: BC

QUESTION 8

Which command is used to enable Cisco NSF for EIGRP?

- A. 6500(config-router)# eigrp nsf
- B. 6500(config)# eigrp enable nsf
- C. 6500(config-router)# enable nsf-capable
- D. 6500(config-router)# nsf

Answer: D

QUESTION 9

Which NAM data-collection method will provide a summary report of utilization and error rates on each switch interface?

- A. SPAN
- B. VACLs
- C. mini-RMON
- D. core monitoring

Answer: C

QUESTION 10

Which command can be used to regain access to a non-responding Cisco NAM in slot 3?

- A. module slot 3 reset
- B. reload module slot 3
- C. slot 3 reload
- D. hw-module module 3 reset

Answer: D

QUESTION 11

What must be configured on the FWSM to forward traffic to a filtering server?

- A. the filtering server as an authentication provider (aaa-server)
- B. all web traffic so that it is directed only to the filtering server (access-list)
- C. all HTTP requests so that they are redirected to the filtering server (fixup protocol)
- D. all HTTP requests so that they are sent to the filtering server (url-server)

Answer: D

QUESTION 12

HSRP active and standby routers send hello messages to which multicast address?

- A. IP address 224.0.0.18, IP protocol number 112
- B. IP address 224.0.0.2, UDP port number 2000
- C. IP address 224.0.0.2, UDP port number 1985
- D. IP address 224.0.0.102, UDP port number 3222

Answer: C

QUESTION 13

What must be configured on the NAM to allow an NMS to access the NAM?

- A. VACLs
- B. HTTPS service
- C. SNMP community strings
- D. TACACS+ authentication

Answer: C

QUESTION 14

What must you do to enable HTTPS as the access protocol on the NAM?

- A. Enable the HTTP server, then enable the SSL service.
- B. Install a strong crypto patch on the NAM, then enable the HTTPS server.
- C. Ensure that 128-bit cryptography is enabled, then enable the HTTPS server.
- D. Enable the HTTP server, then issue the http secure server enable command.

Answer: B

QUESTION 15

Which of these actions must be taken in order to support an EEM script on a system that is enabled for Cisco Catalyst 6500 VSS 1440?

- A. The EEM script must be uploaded via CiscoWorks.
- B. The EEM script must be loaded to both supervisor modules.
- C. The EEM script must be uploaded on the active supervisor module only.
- D. VSS must be disabled, the EEM script uploaded, and VSS re-enabled.

Answer: B

Ensurepass.com Members Features:

1. Verified Answers researched by industry experts.
2. Q&As are downloadable in PDF and VCE format.
3. 98% success Guarantee and **Money Back** Guarantee.
4. Free updates for **180** Days.

View list of All Exam provided:

<http://www.ensurepass.com/certifications?index=A>

To purchase Lifetime Full Access Membership click here:

<http://www.ensurepass.com/user/register>

Valid Discount Code for 2014: SFOH-FZA0-7Q2S

To purchase the HOT Exams:

<u>Cisco</u>		<u>CompTIA</u>		<u>Oracle</u>	<u>VMWare</u>	<u>IBM</u>
<u>100-101</u>	<u>640-554</u>	<u>220-801</u>	<u>LX0-101</u>	<u>1Z0-051</u>	<u>VCAD510</u>	<u>C2170-011</u>
<u>200-120</u>	<u>640-802</u>	<u>220-802</u>	<u>N10-005</u>	<u>1Z0-052</u>	<u>VCP510</u>	<u>C2180-319</u>
<u>300-206</u>	<u>640-816</u>	<u>BR0-002</u>	<u>SG0-001</u>	<u>1Z0-053</u>	<u>VCP550</u>	<u>C4030-670</u>
<u>300-207</u>	<u>640-822</u>	<u>CAS-001</u>	<u>SG1-001</u>	<u>1Z0-060</u>	<u>VCAC510</u>	<u>C4040-221</u>
<u>300-208</u>	<u>640-864</u>	<u>CLO-001</u>	<u>SK0-002</u>	<u>1Z0-474</u>	<u>VCP5-DCV</u>	<u>RedHat</u>
<u>350-018</u>	<u>642-467</u>	<u>ISS-001</u>	<u>SK0-003</u>	<u>1Z0-482</u>	<u>VCP510PSE</u>	<u>EX200</u>
<u>352-001</u>	<u>642-813</u>	<u>JK0-010</u>	<u>SY0-101</u>	<u>1Z0-485</u>		<u>EX300</u>
<u>400-101</u>	<u>642-902</u>	<u>JK0-801</u>	<u>SY0-301</u>	<u>1Z0-580</u>		
<u>640-461</u>	<u>700-302</u>			<u>1Z0-820</u>		

