



Vendor: Microsoft

Exam Code: MB3-637

Exam Name: Microsoft Dynamics GP 10.0 Manufacturing
Applications

Version: DEMO

1: Which of the following is true concerning the Safety Stock field in the Item Resource Planning window?

- A.It is combined with the Order Point Quantity field by MRP to produce MRP planned orders
- B.It is combined with the Order Point Quantity, and the Fixed Order Quantity fields to produce MRP planned orders
- C.It is combined with the Fixed Order Quantity field to produce MRP planned orders
- D.The field is informational only and not considered by MRP

Correct Answers: D

2: The Dynamics - GP Distribution Series BOM and the Manufacturing Series BOM both have a bill of material (BOM) module. Which statement best describes their compatibility?

- A.The Manufacturing bill of material module is a complete separate entity from the Distribution Series bill of material module
- B.Distribution Series does not have a Bill of Material module, so there is no compatibility issue
- C.The Distribution and Manufacturing modules have an interface that allows for linking these two modules
- D.When you install Manufacturing, the system automatically converts Distribution information to the manufacturing bill of material tables

Correct Answers: A

3: If it takes two employees one hour to complete a routing step, what should the value for labor time and cycle time be for that routing step to accurately reflect proper costing and scheduling?

- A.Labor = 1, Cycle = 1
- B.Labor =1, Cycle = 2
- C.Labor = 2, Cycle = 1
- D.Labor = 2, Cycle = 2

Correct Answers: C

4: If quick manufacturing orders are being used, what option(s) must be marked in the Routing sequence entry screen? Choose the 2 that apply.

- A.Auto-Back flush Labor
- B.Auto-Back flush Machine
- C.Auto-Back flush Material
- D.Auto-Back flush All

Correct Answers: A B

5: What is the term used for routings that are created within routings, and that outline a series of steps that are common to all items?

- A.Pointer routings
- B.Subsequent routings
- C.Active Routings
- D.Planning Routings

Correct Answers: A

6: If a manufacturing process results in needing 10% more of a particular component due to scrap in the process, what window should be used to assign a 10% shrinkage factor?

- A.BOM Header Edit
- B.BOM Entry
- C.Item Engineering
- D.Item Resource Planning

Correct Answers: B

7: Which of the following routing times are calculated on a per piece basis? Choose the 2 that apply.

- A.Setup Time
- B.Labor Time
- C.Machine Time
- D.Queue Time

Correct Answers: B C

8: Which of the following is true concerning the Order Point Quantity field in the Item Resource Planning window?

- A.Order point quantities may only be used with Fixed Order Quantities
- B.Order point quantities are only considered by MRP for sites, not default values
- C.Order point quantities are for buy items only
- D.Order point quantities are informational only

Correct Answers: B

9: What window is used to make changes to a manufacturing (active) routing without changing the planning routing first?

- A.Manufacturing Order Routing Sequence Edit window
- B.Routing Utilities window
- C.Routing Sequence Entry window
- D.Routing Query window

Correct Answers: A

10: Which of the following is true concerning the manufacturing system calendar? Choose the 2 that apply.

- A.When new work centers are created any weekend down days indicated on the system calendar default to the calendar of the newly created work center
- B.When new work centers are created any non-weekend down days indicated on the system calendar default to the calendar of the newly created work center
- C.The manufacturing system calendar has no relation to the inventory calendar used for cycle counts
- D.The manufacturing system calendar is exactly the same as the inventory calendar used for cycle counts

Correct Answers: A C

11: Which of the following statements is true regarding the floor stock option found on the BOM

Item Detail entry window? Choose the 2 that apply.

- A.If an item is marked as floor stock the cost of this component is included in the cost of the finished good
- B.If an item is marked as floor stock the cost of this component is not included in the cost of the finished good
- C.Only Service type items can be chosen as floor stock
- D.Upon MO receipt, the floor stock expense account will be debited instead of the inventory account of the finished good

Correct Answers: B D

12: If 111 units have to be stated in order to end up with 100 units due to scrap, what window should be used to assign a 10% shrink factor?

- A.BOM Header Edit
- B.BOM Entry
- C.Item Engineering
- D.Item Resource Planning

Correct Answers: C

13: Before a bill of material can be used in manufacturing order entry, what dates will affect the use of this bill of material?

- A.The system does not validate dates for bill of materials
- B.The component in/out dates and MO end date
- C.The BOM effective date and component in/out dates
- D.The allocation dates on the picklist

Correct Answers: C

14: Item Classes are a useful way to have common settings flow to all items assigned to a class. Which of the following fields are available within an Item Class? Choose the 3 that apply.

- A.Inventory accounts
- B.Standard cost material overheads (amounts and percentages)
- C.Make/Buy code
- D.Allow Back Orders

Correct Answers: A B D

15: What is the purpose of the BOM Security window?

- A.To control who has access to the BOM Entry window
- B.To ensure a bill of material will not be changed
- C.To audit who made the last update to a BOM
- D.To see who has a bill of material record currently in use or locked, and to remove the lock if necessary.

Correct Answers: D

16: Which of the following is a valid order policy in Manufacturing? Choose the 3 that apply.

- A.Lot for Lot

- B.Period Order Quantity
- C.Manufacture Order Policy
- D.Fixed Order Quantity

Correct Answers: A B D

17: Which of the following is true concerning work center setup?

- A.Capacity of the work center can only be determined by assigning employees to the work center
- B.An outsourced work center must be assigned to a particular vendor
- C.Machines can not be assigned to work centers, but may be considered a work center themselves
- D.Effective dates are required when a work center is entered

Correct Answers: B

18: If an item can be used as a substitute for one of the components required to manufacture another item, what window is used to make this entry?

- A.BOM Entry
- B.Item Engineering
- C.Item Resource Planning
- D.Item Maintenance Options

Correct Answers: A

19: Which of the following is a routing status type? Choose the 3 that apply.

- A.Released
- B.Archived
- C.Not Released
- D.Firmed

Correct Answers: A B C

20: Which of the following actions can be performed in the Component Transaction Entry window?

Choose the 3 that apply.

- A.Allocate Items
- B.Issue Items
- C.Scrap Items
- D.Reverse issue

Correct Answers: A B C