



Microsoft

Exam MB6-704

Microsoft Dynamics AX 2012 R3 CU8 Development Introduction

Version: 7.0

[Total Questions: 90]

Question No : 1

You need to provide a user from Active Directory with access to Dynamics AX. The user will access Dynamics AX by using the Dynamics AX client. The user will be an internal user.

In addition to the users functional role, which two roles should you assign to the user? Each correct answer presents part of the solution.

- A. Manager
- B. Guest
- C. Employee
- D. Claims user
- E. System user

Answer: C,E

Question No : 2

You are developing X++ code to update multiple records as a single transaction. The records are located in several tables.

You need to ensure that if an update of one of the records falls, none of the records update.

What should you use?

- A. Try and catch
- B. Tts begin and tts commit
- C. Insert record set and tts abort
- D. For update and tts abort

Answer: B

Question No : 3

You need to write X++ code that is common to both the CustTable table and the Vend Table table. The solution must minimize the duplication of code.

What should you do?

- A. Modify CustTable to add all of the fields in Vend Table. Write X* + code that uses CustTable.
- B. Create a view that includes the fields in both CustTable and Vend Table. Write X+ + code that uses the view.
- C. Create a table that extends from CustTable and Vend Table. Write X+ + code that uses the new table.
- D. Create a map that links CustTable and Vend Table. Write X++ code that uses the map.

Answer: D

Question No : 4

You have a table named Vend Table that contains a field named Main Contact Worker. Main Contact Worker is the reference Recid. Many records in the Vend Table table have the same value for Main Contact Worker.

Users frequently search for data in the Vend Table table based on the Main Contact Worker field.

You need to ensure that when the users create queries that include the Main Contact Worker field in the where clause, the query results are returned in the least amount of time possible.

What should you create in Vend Table?

- A. A unique index in Main Contact Worker
- B. A surrogate key that is used as the primary index
- C. A primary index for Main Contact Worker
- D. A non-unique index in Main Contact Worker

Answer: B

Question No : 5

You need to set the code permission of an action menu item.

Which property should you use?

- A. Linked Permission Object
- B. Configuration Key
- C. Needed Access Level
- D. Web Secure Transaction

Answer: A

Question No : 6

You have the following X++ code that contains an SQL statement:

```
Connection userConnection;  
Statement stmt;  
Str sqlString;  
Resultset results;  
  
userConnection = new Connection();  
stmt = userConnection.createStatement();  
sqlString = "select * from SalesTable";  
new SqlStatementExecutePermission(sqlString).assert();  
results = stmt.executeQuery(sqlString);  
CodeAccessPermission::revertAssert();
```

Which two statements accurately describe the code?

Each correct answer presents a complete solution.

- A. The code does not enforce field-level security.
- B. The results variable only contains data from the partition in to which the user is logged.
- C. The code does not enforce row-level security.
- D. The results variable only contains data from the legal entity in to which the user is logged.

Answer: C,D

Question No : 7

You have two data sources named Items and Item Details. There is a relationship between

the data sources. Item Details contains detailed information about each item in Items.

You plan to create a form that contains two grids.

You need to configure the form to display the details of an item when the item is selected.

What should you set?

- A. The Link Type of Items
- B. The Join Source of Items
- C. The Link Type of Item Details
- D. The Join Source of Item Details

Answer: D

Question No : 8

You create a duty to maintain customer master information.

You need to identify to which elements you can add the duty.

Which two elements should you identify? Each correct answer presents a complete solution.

- A. Process Cycles
- B. Policies
- C. Permissions
- D. Privileges
- E. Roles

Answer: C,D

Question No : 9

You have a menu item named menu item I that is used to launch a form named Form I by using the rich client.

You need to ensure that users who are granted the Maintain customer addresses privilege

can use menu item I to open Form I in read mode.

What should you do?

- A. Set menu item I to run on the server. Modify the Enabled property of the Maintain customer addresses privilege.
- B. Create an entry point for the Maintain customer addresses privilege. Set the Access Level property of the entry point
- C. Create an entry point for the Maintain customer addresses privilege. Add Form I to the Maintain customer addresses privilege.
- D. Set menu item I to run on the server. Add Form I to the Maintain customer addresses privilege.

Answer: B

Question No : 10

A table named Table 1 has a string field named Account Num.

You have an instance of Table I named table1.

You need to print the value of Account Num to the info log.

Which code segment should you use?

- A. Info (table1. Get Account Num ());
- B. Info (table1Account Num());
- C. Info (int2str (table1. Account Num));
- D. Info (table1. Account Num);

Answer: D

Question No : 11

You are creating an extensible data security (XDS) policy.

You need to return the data from the primary table that will be used to filter the data in a

constrained table.

What should you use?

- A. The Code profiler
- B. Code permissions
- C. Secured APIs
- D. A policy query

Answer: D

Question No : 12

You need to add a duty to the Accounts receivable manager role.

What are two possible menus or nodes that can be used to achieve this goal? Each correct answer presents a complete solution.

- A. The Setup menu from Organization administration
- B. The Setup menu from Accounts receivable
- C. The Security node in the Application Object Tree (AOT)
- D. The Setup menu from the System administration module

Answer: C,D

Question No : 13

You work in a shared development environment. You frequently use private projects.

Which statement accurately describes the private projects?

- A. Changes made to the objects in the private projects are visible only to the user who creates the projects.
- B. Private projects can have only one version in source control.
- C. Other users can be granted access to the private projects by using security roles.
- D. Private projects are visible only to the user who creates the projects.

Answer: D

Question No : 14

You need to create a new extensible data security (XDS) policy.

What should you use?

- A. A map
- B. A part
- C. A query
- D. A job

Answer: C

Question No : 15

You have the following X++ statement:

```
Int variableA, variableB;
Int _parameter = 3;

Try
{
    while(variableA < _parameter)
    {
        if(variableA == 1)
        {
            break;
        }
        else if(variableA > 2)
        {
            throw error("Variable2 cannot have value greater than 2.");
        }
        variableA++;
    }
    if(variableB < variableA)
    {
        error("Wrong value of variableB variable.");
    }
}

Catch (Exception::Error)
{
    error("Process was aborted.");
}

Catch (Exception::Break)
{
    error("Process was cancelled.");
}
```


- A. Wrong value of variable B variable.
- B. Wrong value of variable B variable. Process was cancelled.
- C. Variable2 cannot have value greater than 2. Process was aborted.
- D. Process was cancelled. Wrong value of variable B variable.

Answer: A

Question No : 16

Last Name is a field in a table. The length of the field is modified at different layers as follows:

- ✍* At the SYS layer, the field is set to 20 characters.
- ✍* At the USR layer, the field is set to 60 characters.
- ✍* At the CUS layer, the field is set to 40 characters.
- ✍* At the VAR layer the field it is set to 10 characters.

At runtime, what will be the length of the Last Name field?

- A. 40
- B. 10
- C. 20
- D. 60

Answer: D

Question No : 17

You need to set the permissions of an action menu item.

Which property should you modify?

- A. Web Secure Transaction
- B. Needed Access Level
- C. Configuration Key
- D. Linked Permission Type

Answer: D

Question No : 18

You have two tables named Table 1 and Table2. There is a relationship between the tables.

You need to display data from both tables in a form.

How should you create the data source for the form?

- A. Add both tables to a perspective and use the perspective as the data source.
- B. Create a new table named Table3 that is related to Table 1 and Table2. Use Tables as the data source.
- C. Add both tables to a map and use the map as the data source.
- D. Add both tables to a query and use the query as the data source.

Answer: D

Question No : 19

You have the following X++ statement:

```
Int variableA, variableB;
;
Try
{
    variableA = 5;
    variableB = 20;
    variableB -= variableA;

    if(variableB > variableA)
    {
        throw error("An error has occurred.");
        error("VariableB cannot be less than variableA.");
    }
}

Catch (Exception::Error)
{
    error("Process was aborted.");
}
```

You need to identify the output of the statement.

What should you identify?

- A. An error has occurred.
Variable B cannot be less than variable A.
Process was aborted.
- B. An error has occurred.
Process was aborted.
- C. An error has occurred.
Variable B cannot be less than variable A.
- D. Variable B cannot be less than variable A.
Process was aborted.

Answer: B

Question No : 20

You need to add a menu item to a list page.

To which pane should you add the menu item?

- A. Preview
- B. Action
- C. Filter
- D. Fact Box

Answer: B

Question No : 21

You develop a Microsoft SQL Server Reporting Services (SSRS) report for a customer.

You need to ensure that the report is available in Dynamics AX.

Where should you save the report?

- A. The Dynamics AX model store
- B. The SSRS server
- C. The Application Object Server (AOS)
- D. The Dynamics AX clients

Answer: B

Question No : 22

You are developing X++ code to retrieve data from a table named Table I.

You need to use a select statement to retrieve only records from Table I that have related records in a table named Table2.

Which type of join should you use?

- A. Inner
- B. Exists
- C. Outer
- D. Not exists

Answer: A

Question No : 23

You have the following X++ code: (Line numbers are included for reference only.)

```
01 public class Class1
02 {
03     int var1;
04 }

05 public void method1()
06 {
07     var1 = 5;
08 }

09 public void method2()
10 {
11     var1 = 10;
12 }

13 public class Class2
14 {
15 }

16 public void method3()
17 {
18     Class1 c1 = new Class1();
19     Class1 c2 = new Class1();
20     c1.method1();
21     c2.method2();
22
23     info("done");
24 }
```

Method 1 and method2 are in Class 1. Method3 is in Class2.

You need to identify the value of var 1 for the c1 object when the execution of the code reaches line 22.

Which value should you identify?

- A. 10
- B. Undefined
- C. 0
- D. 5

Answer: D

Question No : 24

You need to replace a value from a specific position of a container

Which function should you use?

- A. ConDel
- B. ConPoke
- C. ConFind
- D. ConNull

Answer: B

Question No : 25

You need to identify which elements the Reverse engineer tool will provide for a data model.

Which three elements should you identify? Each correct answer presents part of the solution.

- A. Table methods
- B. Classes
- C. Table fields
- D. Base enumerations
- E. Extended data types (EDTs)

Answer: C,D,E

Question No : 26

You have a table namedTable1that contains the information from a sales invoice.

ForTable1, you need to create a method named Tax Amount that will return the total amount of tax for the invoice. The method will be used in a report to show the tax amount information.

Which type of method should you use?

- A. Static
- B. Accessor
- C. Main
- D. display

Answer: A

Question No : 27

You have three tables named Table I, Table2, and Table3. Table2 and Table3 extend from Table I.

You define a method on Table2 and you define a field on Table I.

You need to identify on which tables the field and the method will be available.

Which two options should you identify? Each correct answer presents part of the solution.

- A. The field will be available on Table I only.
- B. The field will be available on Table I, Table2, and Table3.
- C. The method will be available on Table2 and Table3 only.
- D. The method will be available on Table2 only.
- E. The method will be available on Table I, Table2, and Table3.

Answer: B,D

Question No : 28

You are developing queries to fetch data from the CustTable table. CustTable contains a field named City. There is a non-unique cluster index named city Idx in the City field.

You need to fetch data from CustTable in ascending order based on City.

What are three possible SQL statements that achieve this goal? Each correct answer presents a complete solution.

- A. Select CustTable order by city ASC;
- B. Select CustTable index city;

- C. Select CustTable index city Idx;
- D. Select city From CustTable;
- E. Select CustTable order by city;

Answer: A,D,E

Question No : 29

You are developing a solution to get a date as an input to perform an operation. The input will be in a variable named input Date.

You need to validate the date and throw an error if the date entered is null or greater than the current system date.

Which X++ statement should you use?

Exhibit A

```
If(InputDate != datenull())
{
    Throw error("Wrong selection of date");
}
If(inputDate > systemDateGet())
{
    Throw error("Wrong selection of date");
}
```

Exhibit B

```
If(InputDate != datenull())
{
    Throw error("Wrong selection of date");
}
Else If(inputDate > systemDateGet())
{
    Throw error("Wrong selection of date");
}
```

Exhibit C

```
If(InputDate != datenull())
{
    Throw error("Wrong selection of date");
    If(inputDate > systemDateGet())
    {
        Throw error("Wrong selection of date");
    }
}
```


Exhibit D

```
If(InputDate == datenull() || InputDate > systemDateGet())  
{  
    Throw error("Wrong selection of date");  
}
```

- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

Answer: D

Question No : 30

You plan to create a Fact Box based on a query that queries a table.

You need to ensure that all of the fields in the table are available to the Fact Box.

What should you do?

- A. From the Fields node of the form's data sources, set the Dynamic property to Unselected
- B. From the Fields node of the table, set the Dynamic property to Yes.
- C. From the Fields node of the query's data sources, set the Dynamic property to Yes.
- D. From the Fields node of the table, set the Dynamic property to Unselected.

Answer: B

Question No : 31

You are developing a solution that will delete some records from a specific table.

You need to add a button that has delete logic on a Click event. Users must be prompted for input in the form of Yes or No before executing the delete operation.

What are two possible communication tools you can use to achieve this goal? Each correct

Microsoft Exams List

70-246 Dump PDF VCE	70-485 Dump PDF VCE	70-742 Dump PDF VCE	98-366 Dump PDF VCE
70-247 Dump PDF VCE	70-486 Dump PDF VCE	70-743 Dump PDF VCE	98-367 Dump PDF VCE
70-331 Dump PDF VCE	70-487 Dump PDF VCE	70-744 Dump PDF VCE	98-368 Dump PDF VCE
70-332 Dump PDF VCE	70-488 Dump PDF VCE	70-761 Dump PDF VCE	98-369 Dump PDF VCE
70-333 Dump PDF VCE	70-489 Dump PDF VCE	70-762 Dump PDF VCE	98-372 Dump PDF VCE
70-334 Dump PDF VCE	70-490 Dump PDF VCE	70-765 Dump PDF VCE	98-373 Dump PDF VCE
70-339 Dump PDF VCE	70-491 Dump PDF VCE	70-768 Dump PDF VCE	98-374 Dump PDF VCE
70-341 Dump PDF VCE	70-492 Dump PDF VCE	70-980 Dump PDF VCE	98-375 Dump PDF VCE
70-342 Dump PDF VCE	70-494 Dump PDF VCE	70-981 Dump PDF VCE	98-379 Dump PDF VCE
70-345 Dump PDF VCE	70-496 Dump PDF VCE	70-982 Dump PDF VCE	MB2-700 Dump PDF VCE
70-346 Dump PDF VCE	70-497 Dump PDF VCE	74-343 Dump PDF VCE	MB2-701 Dump PDF VCE
70-347 Dump PDF VCE	70-498 Dump PDF VCE	74-344 Dump PDF VCE	MB2-702 Dump PDF VCE
70-348 Dump PDF VCE	70-499 Dump PDF VCE	74-409 Dump PDF VCE	MB2-703 Dump PDF VCE
70-354 Dump PDF VCE	70-517 Dump PDF VCE	74-678 Dump PDF VCE	MB2-704 Dump PDF VCE
70-383 Dump PDF VCE	70-532 Dump PDF VCE	74-697 Dump PDF VCE	MB2-707 Dump PDF VCE
70-384 Dump PDF VCE	70-533 Dump PDF VCE	77-420 Dump PDF VCE	MB2-710 Dump PDF VCE
70-385 Dump PDF VCE	70-534 Dump PDF VCE	77-427 Dump PDF VCE	MB2-711 Dump PDF VCE
70-410 Dump PDF VCE	70-640 Dump PDF VCE	77-600 Dump PDF VCE	MB2-712 Dump PDF VCE
70-411 Dump PDF VCE	70-642 Dump PDF VCE	77-601 Dump PDF VCE	MB2-713 Dump PDF VCE
70-412 Dump PDF VCE	70-646 Dump PDF VCE	77-602 Dump PDF VCE	MB2-714 Dump PDF VCE
70-413 Dump PDF VCE	70-673 Dump PDF VCE	77-603 Dump PDF VCE	MB2-715 Dump PDF VCE
70-414 Dump PDF VCE	70-680 Dump PDF VCE	77-604 Dump PDF VCE	MB2-716 Dump PDF VCE
70-417 Dump PDF VCE	70-681 Dump PDF VCE	77-605 Dump PDF VCE	MB2-717 Dump PDF VCE
70-461 Dump PDF VCE	70-682 Dump PDF VCE	77-881 Dump PDF VCE	MB2-718 Dump PDF VCE
70-462 Dump PDF VCE	70-684 Dump PDF VCE	77-882 Dump PDF VCE	MB5-705 Dump PDF VCE
70-463 Dump PDF VCE	70-685 Dump PDF VCE	77-883 Dump PDF VCE	MB6-700 Dump PDF VCE
70-464 Dump PDF VCE	70-686 Dump PDF VCE	77-884 Dump PDF VCE	MB6-701 Dump PDF VCE
70-465 Dump PDF VCE	70-687 Dump PDF VCE	77-885 Dump PDF VCE	MB6-702 Dump PDF VCE
70-466 Dump PDF VCE	70-688 Dump PDF VCE	77-886 Dump PDF VCE	MB6-703 Dump PDF VCE
70-467 Dump PDF VCE	70-689 Dump PDF VCE	77-887 Dump PDF VCE	MB6-704 Dump PDF VCE
70-469 Dump PDF VCE	70-692 Dump PDF VCE	77-888 Dump PDF VCE	MB6-705 Dump PDF VCE
70-470 Dump PDF VCE	70-695 Dump PDF VCE	77-891 Dump PDF VCE	MB6-884 Dump PDF VCE
70-473 Dump PDF VCE	70-696 Dump PDF VCE	98-349 Dump PDF VCE	MB6-885 Dump PDF VCE
70-480 Dump PDF VCE	70-697 Dump PDF VCE	98-361 Dump PDF VCE	MB6-886 Dump PDF VCE
70-481 Dump PDF VCE	70-698 Dump PDF VCE	98-362 Dump PDF VCE	MB6-889 Dump PDF VCE
70-482 Dump PDF VCE	70-734 Dump PDF VCE	98-363 Dump PDF VCE	MB6-890 Dump PDF VCE
70-483 Dump PDF VCE	70-740 Dump PDF VCE	98-364 Dump PDF VCE	MB6-892 Dump PDF VCE
70-484 Dump PDF VCE	70-741 Dump PDF VCE	98-365 Dump PDF VCE	MB6-893 Dump PDF VCE

Cisco Exams List

010-151 Dump PDF VCE	350-018 Dump PDF VCE	642-737 Dump PDF VCE	650-667 Dump PDF VCE
100-105 Dump PDF VCE	352-001 Dump PDF VCE	642-742 Dump PDF VCE	650-669 Dump PDF VCE
200-001 Dump PDF VCE	400-051 Dump PDF VCE	642-883 Dump PDF VCE	650-752 Dump PDF VCE
200-105 Dump PDF VCE	400-101 Dump PDF VCE	642-885 Dump PDF VCE	650-756 Dump PDF VCE
200-120 Dump PDF VCE	400-151 Dump PDF VCE	642-887 Dump PDF VCE	650-968 Dump PDF VCE
200-125 Dump PDF VCE	400-201 Dump PDF VCE	642-889 Dump PDF VCE	700-001 Dump PDF VCE
200-150 Dump PDF VCE	400-251 Dump PDF VCE	642-980 Dump PDF VCE	700-037 Dump PDF VCE
200-155 Dump PDF VCE	400-351 Dump PDF VCE	642-996 Dump PDF VCE	700-038 Dump PDF VCE
200-310 Dump PDF VCE	500-006 Dump PDF VCE	642-997 Dump PDF VCE	700-039 Dump PDF VCE
200-355 Dump PDF VCE	500-007 Dump PDF VCE	642-998 Dump PDF VCE	700-101 Dump PDF VCE
200-401 Dump PDF VCE	500-051 Dump PDF VCE	642-999 Dump PDF VCE	700-104 Dump PDF VCE
200-601 Dump PDF VCE	500-052 Dump PDF VCE	644-066 Dump PDF VCE	700-201 Dump PDF VCE
210-060 Dump PDF VCE	500-170 Dump PDF VCE	644-068 Dump PDF VCE	700-205 Dump PDF VCE
210-065 Dump PDF VCE	500-201 Dump PDF VCE	644-906 Dump PDF VCE	700-260 Dump PDF VCE
210-250 Dump PDF VCE	500-202 Dump PDF VCE	646-048 Dump PDF VCE	700-270 Dump PDF VCE
210-255 Dump PDF VCE	500-254 Dump PDF VCE	646-365 Dump PDF VCE	700-280 Dump PDF VCE
210-260 Dump PDF VCE	500-258 Dump PDF VCE	646-580 Dump PDF VCE	700-281 Dump PDF VCE
210-451 Dump PDF VCE	500-260 Dump PDF VCE	646-671 Dump PDF VCE	700-295 Dump PDF VCE
210-455 Dump PDF VCE	500-265 Dump PDF VCE	646-985 Dump PDF VCE	700-501 Dump PDF VCE
300-070 Dump PDF VCE	500-275 Dump PDF VCE	648-232 Dump PDF VCE	700-505 Dump PDF VCE
300-075 Dump PDF VCE	500-280 Dump PDF VCE	648-238 Dump PDF VCE	700-601 Dump PDF VCE
300-080 Dump PDF VCE	500-285 Dump PDF VCE	648-244 Dump PDF VCE	700-602 Dump PDF VCE
300-085 Dump PDF VCE	500-290 Dump PDF VCE	648-247 Dump PDF VCE	700-603 Dump PDF VCE
300-101 Dump PDF VCE	500-801 Dump PDF VCE	648-375 Dump PDF VCE	700-701 Dump PDF VCE
300-115 Dump PDF VCE	600-199 Dump PDF VCE	648-385 Dump PDF VCE	700-702 Dump PDF VCE
300-135 Dump PDF VCE	600-210 Dump PDF VCE	650-032 Dump PDF VCE	700-703 Dump PDF VCE
300-160 Dump PDF VCE	600-211 Dump PDF VCE	650-042 Dump PDF VCE	700-801 Dump PDF VCE
300-165 Dump PDF VCE	600-212 Dump PDF VCE	650-059 Dump PDF VCE	700-802 Dump PDF VCE
300-180 Dump PDF VCE	600-455 Dump PDF VCE	650-082 Dump PDF VCE	700-803 Dump PDF VCE
300-206 Dump PDF VCE	600-460 Dump PDF VCE	650-127 Dump PDF VCE	810-403 Dump PDF VCE
300-207 Dump PDF VCE	600-501 Dump PDF VCE	650-128 Dump PDF VCE	820-424 Dump PDF VCE
300-208 Dump PDF VCE	600-502 Dump PDF VCE	650-148 Dump PDF VCE	840-425 Dump PDF VCE
300-209 Dump PDF VCE	600-503 Dump PDF VCE	650-159 Dump PDF VCE	
300-210 Dump PDF VCE	600-504 Dump PDF VCE	650-281 Dump PDF VCE	
300-320 Dump PDF VCE	640-692 Dump PDF VCE	650-393 Dump PDF VCE	
300-360 Dump PDF VCE	640-875 Dump PDF VCE	650-472 Dump PDF VCE	
300-365 Dump PDF VCE	640-878 Dump PDF VCE	650-474 Dump PDF VCE	
300-370 Dump PDF VCE	640-911 Dump PDF VCE	650-575 Dump PDF VCE	
300-375 Dump PDF VCE	640-916 Dump PDF VCE	650-621 Dump PDF VCE	
300-465 Dump PDF VCE	642-035 Dump PDF VCE	650-663 Dump PDF VCE	
300-470 Dump PDF VCE	642-732 Dump PDF VCE	650-665 Dump PDF VCE	
300-475 Dump PDF VCE	642-747 Dump PDF VCE	650-754 Dump PDF VCE	

HOT EXAMS

Cisco

[100-105 Dumps VCE PDF](#)
[200-105 Dumps VCE PDF](#)
[300-101 Dumps VCE PDF](#)
[300-115 Dumps VCE PDF](#)
[300-135 Dumps VCE PDF](#)
[300-320 Dumps VCE PDF](#)
[400-101 Dumps VCE PDF](#)
[640-911 Dumps VCE PDF](#)
[640-916 Dumps VCE PDF](#)

Microsoft

[70-410 Dumps VCE PDF](#)
[70-411 Dumps VCE PDF](#)
[70-412 Dumps VCE PDF](#)
[70-413 Dumps VCE PDF](#)
[70-414 Dumps VCE PDF](#)
[70-417 Dumps VCE PDF](#)
[70-461 Dumps VCE PDF](#)
[70-462 Dumps VCE PDF](#)
[70-463 Dumps VCE PDF](#)
[70-464 Dumps VCE PDF](#)
[70-465 Dumps VCE PDF](#)
[70-480 Dumps VCE PDF](#)
[70-483 Dumps VCE PDF](#)
[70-486 Dumps VCE PDF](#)
[70-487 Dumps VCE PDF](#)

CompTIA

[220-901 Dumps VCE PDF](#)
[220-902 Dumps VCE PDF](#)
[N10-006 Dumps VCE PDF](#)
[SY0-401 Dumps VCE PDF](#)